

Amendments to the Claims:

The listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims:

Claims 1-7 (canceled).

8. (New) An apparatus for providing a single step log-on access for a subscriber of a computer network having a first area and a second area, said computer network including at least one Network Access Server (NAS) and at least one Authentication Authorization and Accounting (AAA) Server, said NAS providing access for the subscriber to said first area, said apparatus comprising:

a Service Selection Gateway (SSG) Server providing access for the subscriber to the second area, said SSG Server connected between the NAS and the AAA Server, said SSG Server configured to: (1) receive an access-request packet from the NAS when the subscriber connects the NAS, (2) forward said access-request packet to the AAA Server, (3) receive an access-reply packet from the AAA Server in response to said access-request packet, (4) forward said access-reply packet to the NAS, and (5) process information in said access-reply packet for enabling said SSG Server to automatically log the subscriber onto said SSG Server when the subscriber logs onto the NAS.

9. (New) The apparatus of claim 8, wherein the access-request packet includes user-name and password information for the subscriber.

10. (New) The apparatus of claim 9, wherein the SSG Server is further configured to utilize the user-name and password information for the subscriber to initiate log-on for the subscriber to the second area.

11. (New) An apparatus for providing a subscriber with single step log-on access to computer network having a first area and a second area, the apparatus comprising:

a Service Selection Gateway (SSG) Server configured to: (1) intercept a log-on request packet from a Network Access Server (NAS), said log-on-request packet initiated by a user seeking to gain access to the first area, access to which is controlled by the NAS, and to the second area, access to which is controlled by the SSG Server, (2) send an authorization request packet derived from said intercepted log-on request packet to an Authentication, Authorization and Accounting (AAA) Server, (3) receive an authorization packet from the AAA Server and responsive to the authorization request packet, and (4) process said log-on request packet and said authorization packet to enable said SSG Server to automatically log the subscriber on to the SSG Server for access to the second area when the subscriber logs on to the NAS.

12. (New) The apparatus of claim 11, wherein the log-on request is sent from the NAS.

13. (New) The apparatus of claim 11, wherein said SSG Server is further configured to utilize information contained in the log-on request to initiate log-on for the subscriber to the second area.

14. (New) An apparatus for providing a subscriber with single step log-on access to a computer network having a first area and a second area, the apparatus comprising:

a Service Selection Gateway (SSG) Server configured to: (1) intercept a log-on request initiated by the subscriber, (2) route the log-on request to an Authentication, Authorization and Accounting (AAA) Server to initiate log-on for the subscriber to the first area, (3) process an access-reply received from the AAA Server, (4) provide log-on access for the subscriber to the

second area based on the access-reply, and (5) route the access-reply to a Network Access Server (NAS) to complete log-on for the subscriber to the first area.

15. (New) The apparatus of claim 14, wherein the log-on request is sent from the NAS.

16. (New) The apparatus of claim 14, wherein said SSG Server is further configured to utilize information contained in the log-on request to initiate log-on for the subscriber to the second area.

17. (New) An apparatus for providing a subscriber with single step log-on to a computer network differentiated into a plurality of areas, the apparatus comprising:

a Service Selection Gateway (SSG) Server configured to: (1) receive an access-reply from an Authentication, Authorization and Accounting (AAA) server, (2) check the access-reply to determine if it contains a network address assigned by the AAA server to the subscriber, (3) log the subscriber on to the SSG with the assigned network address if the access-reply contains authorization to do so from the AAA server and if it contains a network address assigned by the AAA server to the subscriber, and (4) forward the access-reply to a Network Access Server (NAS) so that the subscriber may log-on to the NAS with the assigned network address if the access-reply contains authorization to do so from the AAA server and if it contains a network address assigned by the AAA server to the subscriber.

18. (New) The apparatus of claim 17, wherein said SSG Server is further configured to: if the access-reply does not contain an assigned IP address, (5) log the subscriber on to the SSG with a temporary IP address if the access-reply contains authorization to do so from the AAA server, (6) assign a user identification to the subscriber, (7) forward the access-reply and

the user identification to the NAS so that the subscriber may log-on to the NAS with a NAS-assigned network address if the access-reply contains authorization to do so from the AAA server, (8) receive from the NAS an accounting-start request identifying the NAS-assigned network address and the user identification, (9) replace the temporary IP address with the NAS-assigned IP address, and (10) forward the accounting-start request to the AAA server.

19. (New) The apparatus of claim 17, wherein said SSG Server is further configured to: (5) receive an access-request from the NAS, and (6) forward the access-request to the AAA server.

20. (New) The apparatus of claim 18, wherein the user identification is written into the access-reply packet as a Remote Authentication Dial-In User Service (RADIUS) attribute.

21. (New) The apparatus of claim 20, wherein the RADIUS attribute is a RADIUS class attribute.

22. (New) The apparatus of claim 17, wherein the user identification is the temporary network address.